96-port high-density LC fiber optic distribution frame



Overview

Unisol 96 Port Optical Distribution Frame for high density fiber management with efficient cable routing, secure connections, and easy maintenance.

Key Takeaways

A 96-port LC fiber optic distribution frame (ODF) is a high-density, rack-mountable solution for efficient fiber termination, management, and distribution in telecom, data center, and FTTH networks. Key FeaturesHigh-Density Fiber Management: Supports up to 96 LC fiber connections in a compact 4U or similar rack space, optimizing port density while maintaining accessibility for maintenance and expansion. Rack Compatibility: Designed for standard 19-inch racks, with some models also compatible with 23-inch frames, ensuring easy integration into existing network infrastructure.

Fiber Termination and Splicing: Includes splice trays, guides, and adapters for secure fiber termination and splicing, reducing signal loss and maintaining stable optical alignment. Low Insertion Loss: Equipped with LC/UPC adapters or factory-installed LC multi-mode ports, providing low insertion loss and high-performance connectivity suitable for short- and medium-distance optical links. Durable Construction: Typically made from high-quality metal or powder-coated steel, offering corrosion resistance, mechanical strength, and long service life.

Flexible Deployment: Compatible with 12-core fiber cassettes and various panel plates, allowing modular installation and simplified future expansion. Cable Management: Features clear fiber routing, bend-radius protection, and organized patching paths to reduce signal attenuation and simplify maintenance.

© 2026 ROGER FIBRE ATELIER - All rights reserved

Applications

Telecommunications: Central offices, metropolitan area networks (MANs), and FTTH deployments. Data Centers and Enterprise Networks: High-density fiber termination for backbone, LAN/WAN, and optical LANs.

High-

Bandwidth Networks: Supports 10G multi-mode applications and structured cabling systems for mission-critical environments. Flexible Network Expansion: Ideal for environments requiring scalable fiber infrastructure with easy access for patching and maintenance.

Advantages

Compact and Scalable: Maximizes port density in limited rack space while allowing future network growth. Reliable Performance: Ensures stable signal transmission with low insertion loss and consistent optical alignment. Ease of Maintenance: Modular design, clear labeling, and organized routing simplify installation, troubleshooting, and upgrades.

Durability: Robust construction withstands frequent handling and environmental variations in telecom and data center settings. In summary, a 96-port LC high-density ODF is a versatile and reliable solution for managing large-scale fiber networks, providing efficient termination, splicing, and distribution while supporting high-performance optical connectivity in telecom, enterprise, and FTTH applications.

Article Content

ODF Fiber Optic Distribution Frame LC/UPC-96core for

Equipped with LC/UPC adapters, the ODF supports up to 96 fiber cores, delivering low insertion loss and consistent performance for short- and medium-distance

96 Port Optical Distribution Frame (ODF)

Unisol 96 Port Optical Distribution Frame for high density fiber management with efficient cable routing, secure connections, and easy maintenance.

ODF Fiber Optic Distribution Frame LC/APC-96core for

The ODF Fiber Optic Distribution Frame LC/APC-96core offers a dependable, scalable, and space-efficient solution for modern optical networks. It is an ideal

Optical Distribution Frames (ODF)

Explore optical distribution frames (ODF) with efficient distributed chassis solutions at CommScope

© 2026 ROGER FIBRE ATELIER - All rights reserved

ODF Fiber Optic Distribution Frame FTD-LC-M3-96 – 96-Core LC

It features 96 LC multi-mode ports optimized for 10G applications, offering maximum port density in a compact footprint. The off-white enclosure provides a professional aesthetic while the included LC

ODF 96 Core Fiber Optic Distribution Frame

ODF 96 Core is a high-density fiber optic distribution frame designed to meet the ever-increasing demands of today''s network systems. This product is ideal for data centers, server rooms, and other

HAILE 96 Ports ODF Fiber Optic Distribution Frame P3-96M-SC SC

The HAILE 96 Ports ODF Fiber Optic Distribution Frame (P3-96M-SC) offers a high-capacity, scalable fiber optic management solution. This frame supports up to 96 SC multi-mode fiber optic

96-Port Fiber Distribution Cabinet — Outdoor | TTI

96-port fiber optic distribution cabinet with floor-standing outdoor design. Powder-coated cold rolled steel construction with IP55 protection. Multiple splitter slots

ODF Fiber Optic Distribution Frame FTD-LC-SM-96 | 96-Core LC

Product Description The ODF Fiber Optic Distribution Frame FTD-LC-SM-96 is designed to handle complex fiber optic network demands with ease. Supporting 96 single-mode LC ports, it provides

96 Port LC Full Load Optical Distribution Frame

This frame is ideal for indoor fiber optic cables connection storage, distribution and management. Features: • Modular design with splicing and distribution function • Standard size, light weight and

Fiber Optic Patch Panels | Leviton Network Solutions

UHDX Fiber Panels UHDX ultra high-density fiber patch panels patch up to 144 LC fibers per RU to provide an inter-connect or cross-connect between backbone horizontal cable and active equipment

DCX Optical Fiber Distribution Frame*

Offering high fiber termination density while maintaining super-easy access to patch cables and trunk cables, the Belden''s DCX System supports fast, efficient

96-FC Fiber ODF Branded Rack Mount Type Distribution Box

© 2026 ROGER FIBRE ATELIER - All rights reserved

The 96-FC Fiber ODF Optic Distribution Frame is a high-capacity, branded fiber termination unit designed to house and manage up to 96 FC connectors in a 19-inch standard rack. Engineered for

High Density MPO MTP Fiber Optical Distribution Frame 1U 96 Fibers

Our sliding type MPO/MTP optical panel apply in high-density telecommunication constructions and fusible fiber splitting cabling systems. At present, the mass production model is only 1U height, and it

Optical Distribution Frames (ODF) | Melbye

The draw-out-type ABF ODF (optical distribution frame) is designed for the placement of up to 48 optical SC connectors or 96 LC connectors and 48 microtubes indoors. Divided into two sections, one

The Norden High Density Floor Standing Fibre Optic Distribution Frame ...

The Norden High Density Floor Standing Fibre Optic Distribution Frame is a durable and versatile solution designed for efficient fibre management in high-demand environments. Made from high

96 Port 1U MPO/MTP to LC Patch Panel |High-Density

1U 96-port MPO/MTP to LC modular patch panel offers plug-and-play fiber management with 4x cassettes, ideal for data centers and telecom rack

19'' Rack Mount ODF 96 Core Pigtail Frame Fiber Optic MPO Patch Panel LC 1u

Realize the growth of the number of ports through modular design and provide high-density optical fiber connection capabilities 3. 1U distribution frame can be equipped with: 4 MPO adapter modules or 4

© 2026 ROGER FIBRE ATELIER - All rights reserved

Contact Us

Continue your research online:

Website: https://artduferoger.fr
Technical inquiry: https://artduferoger.fr/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 ROGER FIBRE ATELIER - All rights reserved